

BLANK PAGE



IS 7778 (Part 6): 2003

भारतीय मानक

छोटे औजारों की नमूना निरीक्षण की प्रक्रिया

भाग 6 मिलिंग आरबर और एसैसरिस

(पहला पुनरीक्षण)

Indian Standard

SMALL TOOLS SAMPLING INSPECTION PROCEDURES

PART 6 MILLING ARBORS AND ACCESSORIES

(First Revision)

ICS 25.100.20

© BIS 2003

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

FOREWORD

This Indian Standard (Part 6) (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Drills, Reamers and Threading Tools Sectional Committee had been approved by the Basic and Production Engineering Division Council.

This standard was first published in 1975. In the light of experience gained over the years, in this revision following changes have been incorporated:

- a) Definition of various terminologies used in the standard have been aligned with the practice followed at ISO level,
- b) Scale of sampling and criteria of conformity have been modified,
- c) Classification of non-conformities for various type of cutting tools have been updated, and
- d) To cater the specific need of the different industries and to make this standard user friendly, this standard has been splitted in 11 Parts for easy adoption/acceptance and guide updation.

This standard has been prepared based on prevalent practice and experience available in the Indian Industries. While formulating this standard considerable assistance has been derived from IS 2500 (Part 1): 2000 'Sampling inspection procedures: Part 1 Attribute sampling plans indexed by acceptable quality level (AQL) for lot-by-lot inspection (third revision)'. IS 7778 'Small tools sampling inspection procedures' is now being published in following 11 Parts. Other parts of the standard are given below:

- Part 1 Twist drills, countersinks and counterbores
- Part 2 Reamers
- Part 3 Sleeves, sockets and adaptors
- Part 4 Screwing taps, dies and knurling tools
- Part 5 Milling cutters
- Part 7 Gear cutting tools and broaches
- Part 8 Saws
- Part 9 Single point (HSS and carbide tipped) tools
- Part 10 Carbide tips and indexable inserts
- Part 11 Hard metal burrs

Indian Standard

SMALL TOOLS SAMPLING INSPECTION PROCEDURES

PART 6 MILLING ARBORS AND ACCESSORIES

(First Revision)

1 SCOPE

This standard (Part 6) specifies sampling plans and procedures for milling arbors and accessories submitted for inspection in lots.

2 REFERENCES

The following standards contain provisions which through reference in this text, constitute provision of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below:

IS No. Title

2500 (Part 1): Sampling inspection procedures:

Part 1 Attribute sampling plans indexed by acceptable quality level (AQL) for lot-by-lot inspection (third

revision)

4905: 1968 Methods for random sampling

3 TERMINOLOGY AND DEFINITIONS

- 3.0 For the purpose of this standard the following definitions shall apply. For terms not defined below and for other clarifications, reference may be made to IS 2500 (Part 1).
- 3.1 Defect A departure of a quality characteristic that results in a product, process or service not satisfying its intended normal usage requirements.
- 3.2 Non-Conformity A departure of a quality characteristic that results in a product, process or service not meeting a specified requirement. Non-conformities will generally be established by their degree of seriousness, such as:

Class A — Those non-conformities of a type considered to be of the highest concern for the product or service. In acceptance sampling, such types of non-conformity will be assigned very small AQL values.

Class B — Those non-conformities of a type considered to have the next lower

degree of concern. Therefore these can be assigned a larger AQL value than those in Class A and smaller than in Class C, if a third class exists.

3.3 Non-Conforming Unit — A unit of product or service containing at least one non-conformity. Non-conforming units will generally be classified by their degree of seriousness such as:

Class A — A unit which contains one or more non-conformities of Class A and may also contain non-conformities of Class B and/or Class C.

Class B — A unit which contains one or more non-conformities of Class B and may also contain non-conformities of Class C, but contains no non-conformity of Class A.

3.4 Percent Non-Conforming — The percent non-conforming of any given quantity of units of products is 100 times the number of non-conforming units divided by the total number of units of products, that is:

Percent non-conforming

 $= \frac{\text{Number of non-conforming units}}{\text{Total number of units}} \times 100$

- 3.5 Acceptable Quality Level (AQL) When a continuous series of lots is considered, the quality level which for the purpose of sampling inspection is a limit of a satisfactory process average.
- 3.6 Sampling Plan A specific plan which indicates the number of units of products from each lot which are to be inspected (sample size or series of sample sizes) and the associated criteria for determining the acceptability of the lot (acceptance and rejection numbers).
- 3.7 Lot A collection of units of product from which a sample shall be drawn and inspected to determine conformance with the acceptability criteria, and which may differ from a collection of units designated as a lot for other purposes (for example, production, shipment, etc).

3.8 Sample — A sample consists of one or more units of product drawn from a lot, the units of the sample being selected at random without regard to their quality. The number of units of product in the sample is the sample size.

4 SCALE OF SAMPLING

- **4.1** All small tools shall be selected at random from a lot as per IS 4905 to ensure randomness of selection.
- **4.2** Small tools shall be selected and examined for each lot separately for ascertaining its conformity to the requirements of the relevant specification.

The number of small tools to be selected from a lot shall depend on the sizes of the lot and type of sampling plans and shall be in accordance with Tables 1, 2 and 3.

5 DETERMINATION OF ACCEPTABILITY

5.1 To determine acceptability of a lot under percent non-conforming inspection, the single sampling plan shall be used in accordance with 5.1.1 for hardness test and performance test and the double sampling plan shall be used in accordance with 5.1.2 for dimensional and visual charactertistics.

5.1.1 Single Sampling Plan

The number of sample units inspected shall be equal to the sample size given by the plan. If the number of non-conforming units found in the sample is equal to or less than the acceptance number, the lots shall be considered acceptable. If the number of non-conforming units is equal to or greater than the rejection number, the lot shall be considered not acceptable.

5.1.2 Double Sampling Plan

The number of sample units first inspected shall be equal to the first sample size given by the plan. If the number of non-conforming units found in the first sample is equal to or less than the first acceptance number, the lot shall be considered acceptable. If the number of non-conforming units found in the first sample is equal to or greater than the first rejection number, the lot shall be considered not acceptable.

If the number of non-conforming units found in the first sample is between the first acceptance and rejection numbers, a second sample of the size given by the plan shall be inspected. The number of non-conforming units found in the first and second samples shall be accumulated. If the cumulative number of non-conforming units is equal to or less than the second acceptance number, the lot shall be considered acceptable. If the cumulative number of non-conforming units is equal to or greater than the second rejection number the lot shall be considered not acceptable.

6 CLASSIFICATION OF NON-CONFORMITY

Non-conformities of various inspection parameters for milling arbors and accessories covered under various Indian Standards have been classified as Class A and Class B and are tabulated in Table 4.

Table 1 Scale of Sampling and Criteria for Conformity for Lot Quality for Visual and Dimensional Characteristics (Double Sampling Plan for Normal Inspection — Inspection Level III)

(Clause 4.2)

Lot Size SI Sample Sample Size Cumulative **Non-Conformity** No. Sample Size Class A Class B **AQL 1.5 AQL 4.0** Ac Re Re (1) (2) (3) (4) (5) (6)(9) (7) (8)i) Up to 150 First 20 0 2 4 20 Second 20 40 2 5 1 4 ii) 151 to 280 First 32 3 2 5 32 0 7 32 Second 64 3 4 6 7 iii) 281 to 500 First 50 50 1 4 3 Second 50 100 4 9 5 8 501 to 1 200 First 80 80 2 9 iv) 5 5 Second 80 160 6 7 12 13 1 201 to 3 200 First 125 125 3 7 7 v) 11 Second 125 250 18 19

Table 2 Scale of Sampling and Criteria for Conformity for Lot Quality for Hardness Test (Single Sampling Plan for Normal Inspections — Inspection Level I)

(Clause 4.2)

SI No.	Lot Size	Sample Size	AQL 1.5	
			Ac	Re
(1)	(2)	(3)	(4)	(5)
i) ii) iii)	Up to 280 281 to 1 200 1 201 to 3 200	8 32 50	0 1 2	1 2 3

Table 3 Scale of Sampling and Criteria for Conformity for Lot Quality for Performance Test (Single Sampling Plan for Reduced Inspections — Inspection Level S-3)

(Clause 4.2)

SI No.	Lot Size	Sample Size	AQL 4.0	
			Ac	Re
(1)	(2)	(3)	(4)	(5)
i) ii)	Up to 150 151 to 3 200	2 5	0 0	1 2

Table 4 Classification of Non-Conformity in Milling Arbors and Accessories (Clause 6)

Sl No.	IS No.	Type of Tool	Class A Non-Conformity	Class B Non-Conformity
(1)	(2)	(3)	(4)	(5)
i)	8614	Milling arbors with self release 7/24 taper	Hardness, 7/24 Taper shank and Diameter d	Dimensions d_1 , d_2 , D_1 , D_2 , I , I_1 , I_2 , I_3 , I_4 and e
ii)	8615	Stub milling arbors with self release 7/24 taper—Arbor	Hardness, 7/24 Taper shank, d diameter and Dimensions a and b	Dimensions D_1 , d_1 , d_2 , I , I_1 , I_2 , c , and L
		Detachable driving tenon	Dimensions J, B and K and Hardness	Dimensions A , C , D , E , F , G , S , and d
iii)	8616	Stub milling arbor with self release 7/24 taper and with key	Hardness, 7/24 Taper shank, Diameter d_1 and Dimensions b	Dimensions I_2 , I_3 , I_4 , I_5 , d_2 , d_3 , d_4 , k , s and e
iv)	8618	Spacing collars for milling arbors	Hardness and Diameters d , D_1 and D_2	Dimensions a, b, I_1 and I_2
v)	8619	Bearing collars for milling arbors	Hardness and Diameters d and D	Dimensions a, b and L
vi)	8620	Clamping nuts for milling arbors	Hardness and Dimension d ₁	Dimensions D, L, S and l
vii)	8621	Retaining screws for milling arbors	Hardness and Dimension d ₁	Dimensions a, b, d_2, k and l

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 1986 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Catalogue' and 'Standards: Monthly Additions'.

This Indian Standard has been developed from Doc: No. BP 10 (0329).

Amendments Issued Since Publication

Ame	end No.	Date of Issue	Text Affected
	BUREA	AU OF INDIAN STANDARDS	
Headquart	ters:		
Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002 Telephones : 323 01 31, 323 33 75, 323 94 02			Telegrams: Manaksanstha (Common to all offices)
Regional	Offices:		Telephone
Central	: Manak Bhavan, 9 Bahadur Sh NEW DELHI 110 002	ah Zafar Marg	\[\begin{cases} 323 & 76 & 17 \\ 323 & 38 & 41 \end{cases} \]
Eastern	: 1/14 C.I.T. Scheme VII M, V. KOLKATA 700 054	I. P. Road, Kankurgachi	\[\begin{cases} 337 & 84 & 99, 337 & 85 & 61 \\ 337 & 86 & 26, 337 & 91 & 20 \end{cases} \]
Northern	: SCO 335-336, Sector 34-A, Cl	HANDIGARH 160 022	$ \begin{cases} 60 & 38 & 43 \\ 60 & 20 & 25 \end{cases} $
Southern	: C.I.T. Campus, IV Cross Road	, CHENNAI 600 113	{254 12 16, 254 14 42 254 25 19, 254 13 15
Western	: Manakalaya, E9 MIDC, Maro MUMBAI 400 093	l, Andheri (East)	\begin{cases} 832 92 95, 832 78 58 \\ 832 78 91, 832 78 92 \end{cases}
Branches	: AHMEDABAD. BANGALOR	E. BHOPAL. BHUBANESHWA	AR. COIMBATORE. FARIDABAD.

GHAZIABAD. GUWAHATI. HYDERABAD. JAIPUR. KANPUR. LUCKNOW. NAGPUR. NALAGARH. PATNA. PUNE. RAJKOT. THIRUVANANTHAPURAM. VISAKHAPATNAM.